

GARDEN + HOBBY
2016



A robotic lawn mower is shown in the foreground, positioned on a well-maintained green lawn. The mower is white and black with a red stripe on top. In the background, there is a paved patio area with a black table and chairs, a red planter, and a red ball. The scene is set in a bright, sunny outdoor environment with trees and a clear blue sky.

WE MOW THE
GRASS.
YOU ENJOY YOUR
FREE TIME.

AL-KO
QUALITY FOR LIFE



LAWN AND GARDEN TECHNOLOGY

A beautiful garden is the best place for enjoyment and relaxation – especially if the lawn is perfectly mown, and the beds and plants are well cared for. Often all that is required are a few skilful interventions, and of course, the right tools:

	Page
Hand lawnmowers.....	12-13
Electric lawnmowers	14-19
EnergyFlex battery series.....	20-25
Petrol lawnmowers.....	26-49
Lawn tractors	50-51
Automatic lawnmowers	52-57
Scythe mowers	58-59
Scarifiers	60-63
Cultivators	64-65
Shredder	66-67
Hedge trimmers	68-71
Grass trimmers	72-73
Chain saws.....	74-75
Log splitters.....	76-77
Garden helpers.....	78-79



The Executive Board of AL-KO KOBER SE (from r-l):
Stefan Kober (CEO) and Dr. Nico Reiner (CFO)

HISTORY AND PRESENT DAY

AL-KO KOBER SE was founded in 1931 by Alois Kober, as a small metalworking shop in the village of Großkötz near Günzburg, located in the Bavarian Swabia region in southern Germany. Today, with more than 45 sites and about 4,000 employees, it is one of the world's leading producers of vehicle technology, garden tools and air technology. Now in the third generation, the family firm is still run according to the principles laid down by its founder – continuous striving for quality, innovative spirit and pioneering design, coupled with contemporary aesthetics, convenience and reliability.



FOR GREATER ENJOYMENT IN THE GARDEN

For more than 50 years, we have been developing and designing innovative garden tools for an extremely wide range of requirements and applications. Not only do our tools reflect our many years of expertise in their technology and function, they also set new standards in terms of design. But what would our innovations be without you, our customers? After all, it is only you who make our garden tools a success. And that is why we do all we can to inspire you – so that every day you can stand in your own personal paradise with a feeling of satisfaction, and say to yourself, "Perfect".

Plunge into the world of AL-KO and get to know our high-quality products – without doubt you will also find just the right tool for your requirements. Have fun browsing and discovering – and of course when you are working with your AL-KO garden tools.

A handwritten signature in black ink that reads "Wolfgang Hergeth".

Wolfgang Hergeth
Managing Director

QUALITY FOR LIFE
**FROM THE VILLAGE SMITHY
TO A GLOBAL COMPANY**

Quality for life – reflected in every
sector of the AL-KO brand

AL-KO GARDEN TECHNOLOGY MAKE LIGHT WORK OF ENJOYING YOUR GARDEN



THE AL-KO BRAND

Safety, happiness and convenience are key factors in life – and they are our reason for being.

They are wholly reflected in our identity, which is found in our AL-KO brand as well as in all our products. We live for quality. Ultimately we have set ourselves an emotive mission: to improve the quality of life for our customers. What do we mean by "Quality for life"?



SAFETY

We set the highest possible standards for ourselves and our products. That means our customers can depend on the quality of our products and our reliability. As a globally active family firm we also offer stability and commercial independence and we strive for a sustainably successful business. Because we know where we come from, we remain grounded so that we can speak to our customers, partners and employees as equals. We are always ready to hear ideas and requests.

HAPPINESS

AL-KO brings happiness to your gardening, makes camping enthusiasts' hearts beat faster and provides the fresh air you need for well-being. The design and function of our products, innovative details, product benefits and the positive feeling of owning a really good product – all these things make our customers happy. We also act as partners to our customers and our suppliers – as well as within our team. We aim to face every challenge with a positive outlook.

CONVENIENCE

Our customers enjoy products which are unsurpassed in their ease of use. This means time savings and less stress for all users. Wherever our customers are, so are we. Focus on service means that our customers stay enthusiastic about their AL-KO products in the long term. We think and act in terms of solutions and treat everyone we encounter as a VIP – customers, partners and colleagues.



Most AL-KO petrol lawnmowers are built in a countryside site at the Obdach plant in Austria.

ASSURED QUALITY

AL-KO petrol lawnmowers are all made in Austria. Here, in tranquil Obdach in Styria, we produce the majority of our garden tools designed in the Swabian region of Bavaria. With the flexibility and security of an owner-managed company, our goal is to meet the requirements of our customers all of the time.

AL-KO INSIDE ENGINEERED IN GERMANY – MADE IN AUSTRIA

50 YEARS OF AL-KO PETROL LAWNMOWERS

We have been designing and developing high-quality garden tools for fifty years. All of these tools combine the highest quality, the latest technology and the spirit of innovation. The foundation of our success started in 1966 with the production of the first petrol lawnmowers in our Austrian factory in Obdach – to date, over seven million units have rolled off the assembly line there. Celebrate with us and profit from 50 years of experience and skill.



From raw material to the finished product – the Highline petrol lawnmowers are produced step-by-step with painstaking attention to detail.

WHICH MOWER FOR YOUR GARDEN?

WITH AL-KO, YOU CAN FIND THE CORRECT MOWER FOR YOUR REQUIREMENTS



HOW LONG WOULD YOU LIKE TO MOW FOR?

We recommend choosing the size of your mower according to the size of your lawn. The decisive factor for the mowing time is the cutting width. General rule: the larger the cutting width, the faster you get the job of mowing done. In addition, you do not need to empty the grass catcher so often, because it is usually larger on wider machines. On the other hand, you can sit back and take it easy with an automatic lawnmower.



WOULD YOU LIKE TO MULCH OR SIDE-DISCHARGE?

AL-KO petrol lawnmowers are the masters of their trade – including when it comes to mulching and side-discharging. This is because many models can be converted in a matter of moments, without tools, simply by installing the mulching insert or side discharge chute. In this regard, always look out for the **3INONE** or **4IN-ONE** functions.



HOW DOES YOUR GARDEN GROW?

Whether it is a small garden with a small lawn, a medium-sized garden with beds and slopes or a large and complex garden – irrespective of what your garden looks like and what your expectations for convenience are, we always have the right tool for you: from the small electric mower with 32 cm cutting width, to petrol lawnmowers with variable-speed wheel drive and even lawn tractors with a 102cm cutting width.

SMALL GARDEN


For a small garden, we recommend a walk-behind mower with an electric motor or petrol engine because they are light and manoeuvrable.

MEDIUM GARDEN

Does your garden have relatively large lawns, as well as slight slopes? Then we would advise you to choose a fairly wide machine with wheel drive for convenient and energy-saving mowing.



FOR A 400 m² LAWN, IT WILL TAKE YOU ...



Cutting width in cm

92	74	51	46	42	40	38	32
----	----	----	----	----	----	----	----



Number of times the box must be emptied

1-2	1-2	3-4	4-5	5-6	6-7	8-9	11-12
-----	-----	-----	-----	-----	-----	-----	-------

LARGE GARDEN

Does your garden have a large lawn, beds, trees and shrubs? Do you have slopes and occasionally long grass? In that case, a mower with wheel drive and VarioSpeed, a lawn tractor or an automatic lawnmower is just the job for you.



Simply unbeatable:
With an AL-KO
automatic lawnmower,
you can just sit back
and relax.

DO-IT-YOURSELF GOLF GREENS

ZERO EMISSIONS WITH AL-KO CYLINDER MOWERS



MANOEUVRABLE ON THE LAWN

The single-axle design of the AL -KO cylinder mowers ensures extreme manoeuvrability, and easily compensates for undulating ground.





SPECIAL CYLINDER

The high-quality 5-blade mowing cylinder made of hardened steel ensures a perfect cut and uniform filling of the grass catcher.



SIMPLE STORAGE

Thanks to the integrated quicklock, the cylinder mower can easily be folded together to save space (only with SoftTouch 380 HM Premium).



EXACT CUTTING

Mowing a lawn with a cylinder mower means the grass blades are cut off as clean as if cut with a pair of scissors. The cutting technology plays an important role in this: the mowing cylinder and the lower blade do not come into contact, which means the mower is particularly gentle on the lawn.



FUNCTIONAL DESIGN

Light and robust new body design and new XL wide tyres. The rubber bumper protects the body from impact and scratches.

+ Includes grass catcher

+ Ergonomic handlebar
Includes grass catcher

+ Robust aluminium
handlebar centre piece
and quick lock
Includes grass catcher



The Daily Telegraph
'Budget Choice'
Hand Mower

	Soft Touch 2.8 HM Classic	Soft Touch 38 HM Comfort	Soft Touch 380 HM Premium
Cutting width	28 cm	38 cm	38 cm
Lawns to	150 m ²	250 m ²	250 m ²
Cutting height / cutting height adjustment	14–35 mm / 4-stage	14–35 mm / 4-stage	14–35 mm / 4-stage
Mowing cylinder	128 mm / 5 steel blades	128 mm / 5 steel blades	128 mm / 5 steel blades
Cutting technology	Cylinder, contactless	Cylinder, contactless	Cylinder, contactless
Wheel ø	220 mm	220 mm	220 mm
Grass catcher capacity	23 l (Optional)	41 l (Optional)	41 l (Optional)
Weight approx.	7.5 kg	7.9 kg	9.4 kg
Art. no	112 664	112 663	112 665
Homeowner Warranty	2 Year	2 Year	2 Year
Collector	AK112730	AK112731	AK112731

YOUR ADVANTAGES

- | Light, robust body
- | High-quality 5-blade mowing cylinder for a precise and accurate cut
- | Extremely manoeuvrable and particularly gentle on the lawn
- | Zero emissions and quiet

AFFORDABLE QUALITY

THE CLASSIC ELECTRIC MOWER RANGE



SAFE HANDLING

The double-action switch and cable strain relief hook ensure optimal operator safety at all times.



PRECISE EDGE MOWING

Knife-sharp mowing up to the edge – thanks to the special deck geometry in which the wheels do not protrude, it is possible to mow along walls without problems.



PERFECT GRASS CATCHER

Grass catcher with aerodynamic air flow for optimum filling. With automatic fill-level indicator as well as a large opening and practical carry handle for easy emptying without leaving anything behind.



SIMPLE HEIGHT ADJUSTMENT

The Wheel & Click system makes it possible to adjust the cutting height in a matter of seconds. Simply press the red button, pull off the wheel, move the axle to the required position and push the wheel back on until it clicks.

**QUALITY INDUCTION
MOTORS FOR A
LONG LIFE**



+ Robust and manoeuvrable, Wheel & Click system



+ Larger cutting width and more power, with Wheel & Click system



	Classic 3.2 E	Classic 3.8 E
Cutting width	32 cm	38 cm
Lawns to	250 m ²	500 m ²
Cutting height / cutting height adjustment	23–62 mm / quick wheel lock, 4-stage	23–62 mm / quick wheel lock, 4-stage
Motor, Power	Electric Induction, 1,000 W	Electric Induction, 1,300 W
Mower deck	Plastic PP	Plastic PP
Grass catcher capacity	30 l	43 l
Wheel ø front/rear	120/145 mm	150/180 mm
Weight approx.	12.0 kg	14.5 kg
Homeowner Warranty	2 Year + 1 Year (parts only)	2 Year + 1 Year (parts only)
Art. no	112 736	112 737
Replacement blade Art. no	470 206	470 207

YOUR ADVANTAGES

- | Safety switch with cable strain relief
- | XL tyres for optimal driving comfort
- | Grass catcher with integrated fill-level indicator
- | Quality induction motors for high performance and long life

DESIGN & FUNCTION

THE AL-KO COMFORT ELECTRIC RANGE



OPTIMUM HANDLING

The height-adjustable, ergonomically shaped handlebar allows fatigue-free working and easy operation. (40E only.)



SIMPLE TRANSPORT

The integrated carrying handle permits easy transport. In addition, the grass catcher can be removed effortlessly and the handlebar can be folded with ease. This allows the lawnmower to be stored without taking up much space.



CENTRAL HEIGHT ADJUSTMENT

The powerful spring support allows the cutting height to be set quickly and conveniently with a hand grip.





MULCH IF YOU WANT

Just mount the mulching insert without tools and work the finely chopped clippings into the lawn as a natural fertiliser (40 E model).

+ Ideal for small lawns

+ Mow, collect and mulch



QUALITY INDUCTION MOTORS FOR A LONG LIFE



	34 E Comfort	40 E Comfort
Cutting width	34 cm	40 cm
Lawns to	300 m ²	600 m ²
Function	2INONE function	3INONE function
Cutting height / cutting height adjustment	28-68 mm / central, 6-stage	28-68 mm / central, 6-stage
Motor, Power	Electric Induction, 1,200 W	Electric Induction, 1,400 W
Mower deck	Plastic PP	Plastic PP
Grass catcher capacity	37 l	43 l
Wheel ø front/rear	150/165 mm	165/200 mm
Weight approx.	15.0 kg	19.0 kg
Art.no	112 908	112 909
Homeowner Warranty	2 Year + 1 Year (parts only)	2 Year + 1 Year (parts only)
Replacement blade Art. no	463 800	463 915

YOUR ADVANTAGES

I **3INONE** function:
Mow, collect and mulch
I **2INONE** function:
Mow and collect
I Light and handy

I Central height adjustment
I XL tyres for optimal driving comfort
I Fill-level indicator integrated into the catcher

ROBUST AND POWERFUL

THE ELECTRIC MOWER WITH STEEL DECK

PRACTICAL INDICATOR

The fill-level indicator integrated in the grass catcher indicates when the catcher must be emptied so that the discharge channel remains clear.



SIMPLE SETTING

The spoked wheels of AL-KO electric mowers not only reduce wear and tear on the lawn – they also feature quick individual wheel or axle adjustment to move the mower to the right height in a matter of moments.



STURDY STEEL DECK

Compared to plastic decks, steel decks are significantly more robust and resilient to knocks and stone impacts. Furthermore, steel plate mowers usually have larger grass catchers, wider cutting widths and are easier to clean.



FOR SAFETY AND COMFORT

The ergonomically shaped handlebar with safety switch and cable strain relief guarantees convenient, safe and fatigue-free working. The handlebar is also height-adjustable to several different settings.

**Mulch mowing,
height-adjustable
handlebar**



reddot design award
honourable mention 2011



Silver 470 E Premium	
Cutting width	46 cm
Lawns to	900 m ²
Function	3INONE function
Cutting height / cutting height adjustment	30–80 mm / individual wheel/ individual axle, 7-stage
Motor, Power	Electric Induction, 1,600 W
Mower deck	ULTRAMOW Steel
Grass catcher capacity	65 l
Wheel ø front/rear	200/280 mm, ball bearings
Weight approx.	30 kg
Art. no	119 009
Homeowner Warranty	2 Year + 1 Year (parts only)
Replacement blade Art. no	440 125


YOUR ADVANTAGES

- | **3INONE** function:
Mow, collect and mulch
- | Safety switch with cable strain relief
- | XL/XXL tyres for optimal driving comfort
- | Grass catcher with integrated fill-level indicator



ONE FOR ALL, ALL FROM AL-KO

**THE ENERGYFLEX SERIES OF BATTERY POWERED MACHINES
FOR CABLE FREE AND EFFORTLESS GARDEN ENJOYMENT**



ONE BATTERY FOR ALL

Mow, cut hedges or blow the autumn leaves together using one and the same battery – no problem with the EnergyFlex series. Lawnmowers come with a battery and charger. This means that you only have to purchase necessary hand tools (without a battery).



NO EXHAUST AND NO CABLE

Thanks to a sturdy steel-plate deck, large grass catcher and optional wheel drive, the Moweo battery mower from the EnergyFlex series combines the advantages of a classic petrol lawnmower with the quiet and exhaust-free operation of an electric device – all cable free. A compact version with a plastic deck is also available for smaller lawns.



PERFECTION EVEN IN THE TIGHTEST CORNERS

The EnergyFlex trimmer is characterised by a successful mixture of power, design and comfort. The trimmer head's 3-way angle adjustment, for example, makes trimming child's play even in places that are difficult to reach. The 180° turning function means that even overhanging lawn edges can be cut precisely. The adjustable telescopic aluminium shaft and handle meanwhile, ensure comfortable operation.



SLEEK IN FORM AND FUNCTION

Whether shaping a hedge or cutting it back – the hedge trimmer's sharp, diamond-ground blades always ensure a clean cut. The ergonomic controls and balanced weight distribution ensure fatigue-free work in any position, even on high hedges. Practical: the protective cover also serves as a wall mount.



HANDY BROOM REPLACEMENT

The handy leaf blower from the EnergyFlex series is both versatile and flexible, ensuring a tidy yard and garden. The air flow speed can be easily set via a rotary knob (up to 250 km/h). The two supplied attachments allow you to choose between focussed and wide-area operation. They can also be easily removed for easy storage.



LITHIUM-ION TECHNOLOGY

The EnergyFlex battery provides impressive power with its 36 volts and 4 Ah. It is extremely long-lasting and non self-discharging thanks to its lithium-ion cells, having no memory effect.



CABLE-FREE POWER PACKS

THE MOWEO BATTERY MOWER FROM THE ENERGYFLEX SERIES



EVERYTHING UNDER CONTROL

You can check the current charge status of the battery with just a simple press of a button. Thanks to lithium-ion technology, it can be charged quickly at any time. A complete charge only takes one-and-a-half hours.



BE ON THE SAFE SIDE

All tools are equipped with a safety key to prevent unintentional starting. The motor will only start when this key is inserted and turned. Once removed, the mower can be safely left unattended.

Cutting width

Function

Lawns to

**Cutting height /
cutting height adjustment**

Battery type

**Battery charge time
Battery / charger included in delivery**

Wheel drive

Mower deck

Grass catcher capacity

Weight approx.

Art. no.

Homeowner Warranty

Replacement blade Art. no.



ENERGY FLEX

The EnergyFlex series also offers other garden tools such as trimmers, hedge trimmers and leaf blowers, which can all be operated using the same battery. Please see the following pages for more information.

EASY STORAGE

Thanks to the easy-to-use fasteners on the handlebar, the Moweo 38.5 Li can be folded up and stored away in no time.



+ Light deck made of plastic

+ Sturdy deck made of steel plate

+ Wheel drive, 2 batteries and sturdy 46cm deck made of steel plate



Moweo 38.5 Li	Moweo 42.5 Li	Moweo 46.5 Li SP
37 cm	42 cm	46 cm
2INONE function	2INONE function	2INONE function
250-300 m ²	250-400 m ²	300-500 m ²
25-75 mm / central, 6-stage	25-75 mm / individual wheel, 7-stage	25-75 mm / individual wheel / individual axle, 7-stage
36 V / 4 Ah / Li-ion	36 V / 4 Ah / Li-ion	36 V / 4 Ah / Li-ion
1.5 h 1 / 1	1.5 h 1 / 1	1.5 h 2 / 1
-	-	1-speed
Plastic	Steel plate	Steel plate
45 l	60 l	70 l
17 kg	25 kg	30 kg
113 278	119 705	119 707
2 years	2 years	2 years
113 127	113 347	113 348

Additional technical information can be found on page 78/79 or online at www.al-ko.com/garden.

Replacement battery
(36 V / 4.0 Ah / Li-ion)
Art. no. 113 280

YOUR BENEFITS

- | **2INONE**function:
Mow and collect
- | Powerful lithium-ion battery and charger included
- | Battery suitable for all tools from the EnergyFlex series
- | Safe starting with plug-in key
- | Sturdy deck made from steel plate or plastic
- | Grass catcher with integrated fill-level indicator



HANDY HELPER

BATTERY-OPERATED GARDEN TOOLS FROM THE ENERGYFLEX SERIES

EnergyFlex hand tools are the perfect addition to battery mowers. The same battery can be used for operation, and an additional battery and charger can also be purchased separately.

+
Including protective cover



HT 36 Li	
Battery type	36 V / 4 Ah / Li-ion
Operating time / battery charge time	120 / 90 min
Battery / charger included in delivery	- / -
Blade length	550 mm
Tooth gap	20 mm
Cutting speed	1,400 rpm
Blade type	Diamond cut
Cutting principle	Reciprocating Safety Blades
Approx. weight (without / with battery)	2.5 / 3.9 kg
Art. no.	113 331
Homeowner Warranty	2 years



ENERGY FLEX

The heart of the EnergyFlex family is the powerful lithium-ion battery that works with all devices. Batteries and chargers are included with mowers. Hand tools are sold without them.

Battery (Li-ion)
36 V / 4.0 Ah
Art. no. 113 280



+

Including two tube attachments



+

Including replacement line spool



	LB 36 Li
Battery type	36 V / 4 Ah / Li-ion
Operating time / battery charge time	30 / 90 min
Battery / charger included in delivery	- / -
Air speed	115-250 km/h
Flow rate	330 m³/h
Tube attachments	2
Control system	Stepless
Approx. weight (without / with battery)	2.2 / 3.6 kg
Art. no.	113 332
Homeowner Warranty	2 years

	GT 36 Li
Battery type	36 V / 4 Ah / Li-ion
Operating time / battery charge time	60 / 90 min
Battery / charger included in delivery	- / -
Cutting width	30 cm
Cutting line	Nylon line
Line feed	Automatic bump feed
Receptacle for replacement spool	Yes
Auxiliary handle	Yes, adjustable
Pivoting cutting head	Yes
Approx. weight (without / with battery)	2.4 / 3.9 kg
Art. no.	113 330
Homeowner Warranty	2 years

Replacement spool Art. no.	113 349
-----------------------------------	---------


Battery charger
36 V / 4.0 Ah
 Art. no. 113 281

YOUR BENEFITS


- | Handy garden tools with a powerful lithium-ion battery
- | Battery suitable for all tools from the EnergyFlex series
- | Charger and battery can be purchased separately if not included
- | Ergonomically shaped controls
- | Well-conceived function and design
- | Space-saving storage

A RANGE FOR EVERYONE


AL-KO OFFER THE PERFECT PETROL LAWNMOWER FOR EVERY GARDEN




MOW



COLLECT



MULCH



SIDE DISCHARGE

MULTI-FUNCTION EXPLAINED

AL-KO have developed a range of lawnmowers that can effectively mow, collect, mulch and side discharge grass clippings.

Models with **3INONE** functions can mow, collect, and mulch as standard, whilst mowers with **4INONE** functions can also side discharge grass clippings, perfect for longer grass.

CHOOSE YOUR IDEAL RANGE



COMFORT

AFFORDABLE QUALITY

Comfort models offer proven quality German engineering at affordable prices. Featuring powerful and reliable AL-KO and Briggs & Stratton engines*, a mulching function and conditional 5 year deck warranty as standard. *Selected models

Pages.....28 – 33



STEEL OR ALUMINIUM

AL-KO Petrol lawnmowers offer a choice of both steel and aluminium cutter decks.

UltraMow Steel cutter decks are manufactured using AL-KO's unique manufacturing process, whereby the deck is pressed from a single sheet of steel. This creates a flawless, weld-free deck which unlike traditional manufacturing methods is highly resistant to corrosion. As a result, all AL-KO steel deck lawnmowers are covered by a conditional 5 year cutter deck warranty for homeowner use. The smooth finish also results in exceptional performance, whether collecting or mulching.

The high-quality ALUTECH aluminium deck combines the best stability with durability and optimum aerodynamics. What's more, it is torsionally rigid, rust-free and acoustically insulating as well as being extremely resistant to impacts from stones or unevenness, and also benefits from a conditional 5 year cutter deck warranty for homeowner use.



ALUTECH ALUMINIUM



EASY MOW

VERSATILE MOWER POWERED BY HONDA

The Easy Mow range is exclusively powered by Honda engines. Easy to start and simple to operate these engines provide dependable power and a long service life. Adjustable handles and ergonomic controls mean the range has optimum user comfort in mind.

Pages.....34 – 37



PREMIUM

PREMIUM AWARD WINNERS

Premium models incorporate many innovative features to make mowing quicker and easier. Powerful Briggs & Stratton engines are fitted as standard, as are time saving features such as central cutting height adjustment.

Pages.....38 – 43



HIGHLINE

NEW INNOVATION FOR LAWNS


Highline models feature the latest innovation in cutter deck technology, with MAX AIRFLOW ultra-deep cutter deck design. This new design improves airflow within the cutter deck by up to 42%, for optimal performance whether collecting or mulching.

Pages.....44 – 49

AFFORDABLE QUALITY

THE COMFORT PETROL LAWN MOWER

RANGE



EXPERIENCE YOU CAN FEEL

Fatigue-free work and easy to use because of the ergonomically shaped handlebar and wheel drive bar. Optimum safety with the full width safety switch.



PRACTICAL FILL-LEVEL INDICATOR

Shows when the grass catcher must be emptied, so the discharge channel remains clear.



PERFECT GRASS CATCHER

Optimum aerodynamics in the air flow enables the grass catcher to be filled to the brim and achieves a perfectly cut lawn.



4INONE function

As well as mowing and collecting, all Comfort models offer additional functions thanks to the mulching insert (left), and on some models side discharge (right).

SIMPLE TO ADJUST

The convenient cutting height adjustment on the rear and front wheels mean that the lawnmower can be set to the right cutting height in an instant.




IDEAL MOWER DECK

Aerodynamic deck geometry in conjunction with the offset design enables optimum filling of the grass collector and precise edge mowing.

WITH DOUBLE BALL BEARINGS

XXL smooth-running wheels guarantee easy progress whether on grass or uneven land.





COMFORT– POWERFUL MOWERS WITH EXCITING FUNCTIONS



	42.5 Special Edition	42 B-A Comfort
Cutting width	42 cm	42 cm
Lawns to	800m ²	800m ²
Function	2INONE function	3INONE function
Cutting height / cutting height adjustment	25–75 mm / individual wheel, 7-stage	25–75 mm / individual wheel, 7-stage
Engine ccm / kW / rpm (B-A Model)	AL-KO Pro 140 Quick-Start 140 / 2.1 / 2,800	AL-KO Pro 140 Quick-Start 140 / 2.1 / 2,800
Engine ccm / kW / rpm (B Model)	-	-
Wheel drive	-	-
Mower deck	ULTRAMOW Steel	ULTRAMOW Steel
Grass catcher capacity	65 l	65 l
Wheel ø front/rear	180/205 mm, Ball bearings	180/205 mm, Ball bearings
Weight approx.	28kg	29.2 kg
Art.no	119 615	119 381
Homeowner Warranty	2 Year	2 Year
Replacement blade Art. no	463 719	463 719



CHOICE OF ENGINES

Briggs & Stratton are the worlds largest manufacturer of air-cooled engines. Compact and simple to operate, these engines provide dependable power and exceptional value. (51 BR only)
Thanks to the QuickStart system, AL-KO Pro engines can be started quickly and easily. In addition, the OHV technology with overhead valves means they offer outstanding efficiency which pays off in terms of greater power and lower fuel consumption.



+ Wheel drive

+ Wheel drive and 4INONE function

+ Wheel drive and 4INONE function



42 BR-A Comfort	46 B-A Comfort	46 BR-A Comfort	51 BR-A Comfort / 51 BR Comfort
42 cm	46 cm	46 cm	51 cm
800m ²	1,400 m ²	1,400 m ²	1,800 m ²
3INONE function	3INONE function	4INONE function	4INONE function
25–75 mm / individual wheel / central rear axle, 7-stage	28–75 mm / individual wheel, 7-stage	30–80 mm / individual wheel / central rear axle, 7-stage	30–80 mm / individual wheel / central rear axle, 7-stage
AL-KO Pro 140 Quick-Start 140 / 2.1 / 2,800	AL-KO Pro 140 Quick-Start 140 / 2.1 / 2,800	AL-KO Pro 140 Quick-Start 140 / 2.1 / 2,800	AL-KO Pro 160 Quick-Start 159 / 2.3 / 2,800
-	-	-	B&S series 625 190 / 2.4 / 2,800
1-speed	-	1-speed	1-speed
ULTRAMOW Steel	ULTRAMOW Steel	ULTRAMOW Steel	ULTRAMOW Steel
65 l	65 l	65 l	65 l
180/220 mm, Ball bearings	180/205 mm, Ball bearings	200/280 mm, Ball bearings	200/280 mm, Ball bearings
33.0 kg	30.1 kg	35.9 kg	36.4 kg / 34.0 kg
119 504	119 382	119 383	119 384 / 119 388
2 Year	2 Year	2 Year	2 Year
463 719	440 125	440 125	440 126



YOUR ADVANTAGES

- | **4INONE** function :
Mow, collect, mulch and side discharge
- | **3INONE** function :
Mow, collect and mulch

- | Convenient cutting height adjustment
- | 65 L grass catcher with fill-level indicator
- | Ergonomically shaped handlebar
- | XL/XXL smooth-running wheels
- | Optional: Wheel drive

MULCHING KEEPS THE LAWN HEALTHY

**MULCHING MOWER FOR
ECOLOGICAL LAWN CARE**



FRONT-WHEEL DRIVE

This labour-saving alternative offers excellent performance above all on undulating ground. When manoeuvring, the front wheels can be lifted clear off the ground with the drive still activated, allowing the mower to be turned quickly and easily. (BR models)



THE MULCHING PRINCIPLE

During mulch-mowing, the cut blades of grass are flung upwards within the mower deck, finely chopped by the special blade and blown back into the turf as a natural fertiliser – this returns natural nutrients to the lawn and protects it against drying out.



MULCHING OR SIDE DISCHARGE

If required, e.g. for longer grass after a holiday, or for meadows and orchards, the mulching mower can easily be converted into a side-discharge mower.



QUICK HEIGHT ADJUSTMENT

The cutting height can be changed on each axle quickly and easily. The full-width axles offer stability and true-running.



+
Front-wheel drive for energy-saving mulch-mowing



	Comfort 460 B-A Bio	Comfort 460 BR-A Bio
Cutting width	46 cm	46 cm
Function	2INONE function	2INONE function
Lawns to	1,100 m ²	1,400 m ²
Cutting height / cutting height adjustment	30–85 mm / wheel axle, 4-stage	30–85 mm / wheel axle, 4-stage
Engine ccm / kW / rpm	AL-KO Pro 140 Quick Start 140 / 2.1 / 2,800	AL-KO Pro 140 Quick Start 140 / 2.1 / 2,800
Wheel drive	–	1-speed
Mower deck	ULTRAMOW Steel	ULTRAMOW Steel
Wheel ø front/rear	205/205 mm	220/205 mm, Ball bearings
Weight approx.	26.4 kg	30.9 kg
Art. no	119 389	119 390
Homeowner Warranty	2 Year	2 Year
Replacement blade Art. no	470 389	470 389

YOUR ADVANTAGES

- | **2INONE** function :
Mulch mowing and discharge to the side
- | Convenient cutting height adjustment
- | Ergonomically shaped handlebar
- | XL wheels are gentle on the lawn



AL-KO QUALITY, HONDA POWER

THE HONDA POWERED PETROL LAWN MOWER WITH FULL SPECIFICATION



ERGONOMIC CONTROLS

Easily reachable colour-coded controls, and an ergonomic rubberised handlebar make operation comfortable and simple.



THE PERFECT HEIGHT

The height of the handles can be adjusted to suit the height of the operator, creating an optimal working position to prevent discomfort to the user's arms, shoulders and back.



CENTRAL HEIGHT ADJUSTMENT

The cutting height can be changed conveniently using a hand grip. Central and easy with spring support. (selected models.)



MULCH IF YOU WANT

Mulch protects the ground and ensures a biological equilibrium. Therefore, every lawn should be mulched at regular intervals. This is no problem with AL-KO Easy-Mow mowers – simply insert the mulching insert and as you mow, the finely chopped clippings are worked into the lawn as a natural fertiliser. This returns necessary nutrients to the lawn, saves mowing time, and eliminates the cost of buying fertiliser.



AL-KO

5

**Year
Warranty**

Terms & conditions apply.
Consult your AL-KO Dealer for
details.

SIDE DISCHARGE FOR LONGER GRASS

Easy-Mow models with 4INONE function can not only collect optimally, but also discharge to the side. The practical alternative, especially for meadows and orchards.



EASY STORAGE

The clever design of the Easy-Mow models enables easy transport and storage - simply remove the grass box and fold the handles and the mower can be stored compactly in the upright position (fuel & oil tanks must be empty).



ALUMINIUM COMPONENTS

The 5250 HWS Easy-Mow features robust aluminium handle components for extra strength and rigidity. In addition, quick-release clasps are incorporated into the handle for instant adjustment to the perfect height.



WITH DOUBLE BALL BEARINGS

XXL smooth-running wheels guarantee easy progress whether on grass or uneven land.

**POWERED by
HONDA™**

**ENGINEERED
IN GERMANY**
MADE IN AUSTRIA



AL-KO EASY-MOW – THE VERSATILE MOWER POWERED BY HONDA



+ Wheel drive



AL-KO
5
Year
Warranty

Terms & conditions apply.
Consult your AL-KO Dealer for details.

	4210 H Easy-Mow	4210 HPD Easy-Mow
Cutting width	42 cm	42 cm
Lawns to	800 m ²	800 m ²
Function	3INONE function	3INONE function
Cutting height / cutting height adjustment	25–75 mm / individual wheel, 7-stage	25–75 mm / central, 7-stage
Engine ccm / kW / rpm	Honda GCV 140 135 / 2.6 / 2,900	Honda GCV 140 135 / 2.6 / 2,900
Wheel drive	-	1-speed
Mower deck	ULTRAMOW Steel	ULTRAMOW Steel
Grass catcher capacity	65 l	65 l
Wheel ø front/rear	180/205 mm, ball bearings	180/205 mm, ball bearings
Weight approx.	28.0 kg	31.0 kg
Art. no	119 085	119 718
Replacement blade Art. no	463 719	463 719



HONDA ENGINES

All AL-KO Easy-Mow models are powered by engines from Honda. Easy to start and simple to operate, these engines provide dependable power and a long service life.

POWERED by
HONDA



+ Wheel drive and 4INONE function

+ Aluminium handle components and Variospeed wheel drive



4610 HPD Easy-Mow	5210 HPD Easy-Mow	5250 HWS Easy-Mow
46 cm	51 cm	51 cm
1,100 m ²	1,500 m ²	2,000 m ²
4INONE function	4INONE function	4INONE function
30–80 mm / central, 7-stage	30–80 mm / central, 7-stage	30–80 mm / central, 7-stage
Honda GCV 140 135 / 2.6 / 2,900	Honda GCV 160 160 / 2.8 / 2,900	Honda GCV 160 160 / 2.8 / 2,900
1-speed	1-speed	VarioSpeed (approx. 2.5–4.5 km/h)
ULTRAMOW Steel	ULTRAMOW Steel	ULTRAMOW Steel
70 l	70 l	70 l
200/280 mm, ball bearings	200/280 mm, ball bearings	200/280 mm, ball bearings
32.0 kg	35.0 kg	40.0 kg
119 719	119 089	119 230
332 039	462 705	462 705

YOUR ADVANTAGES

- | **4INONE** function :
Mow, collect, mulch and side discharge
- | **3INONE** function :
Mow, collect and mulch

- | Convenient cutting height adjustment
- | 65 L / 70 L grass catcher with fill-level indicator
- | Ergonomically shaped handlebar
- | XL/XXL smooth-running wheels
- | Optional: Wheel drive

PREMIUM AWARD WINNERS

THE PREMIUM PETROL LAWN MOWER WITH FULL SPECIFICATION



OPTIMUM WORK HEIGHT

Easily reachable controls, an ergonomic rubberised handlebar as well as multiple handlebar height adjustments facilitate practical handling. (BRV models only.)



EVERY STEP OF THE WAY

Wheel drive makes lawn mowing even less of a struggle; it is even possible to adapt to the operator's walking pace thanks to Vari Speed Control. (BRV models only.)



CENTRAL HEIGHT ADJUSTMENT

The cutting height can be changed conveniently using a hand grip. Central and easy with spring support.



MULCH IF YOU WANT

Mulch protects the ground and ensures a biological equilibrium. Therefore, every lawn should be mulched at regular intervals. This is no problem with AL-KO mowers – simply insert the mulching insert and as you mow, the finely chopped clippings are worked into the lawn as a natural fertiliser. This returns necessary nutrients to the lawn, saves mowing time, and eliminates the cost of buying fertiliser.



SIDE DISCHARGE FOR LONGER GRASS

Premium models can not only collect optimally, but also discharge to the side. The practical alternative, especially for meadows and orchards. (Selected models.)



PRECISE EDGE MOWING

The offset design means that Premium lawnmowers can also be used for mowing along the side of walls without problems – for a perfect result right up to the edge, without any major trimming afterwards.



PERFECT GRASS CATCHER

Grass catcher with aerodynamic air flow for optimum filling. With automatic fill-level indicator and special geometry for simple and complete emptying.



WITH DOUBLE BALL BEARINGS

XXL smooth-running wheels guarantee easy progress whether on grass or uneven land.



ELECTRIC KEY START

Simply turn the key to start - no pulling required. The battery is easily recharged, using the charger supplied (430BE, 470BRE, 520BRVE).





AL-KO PREMIUM – THE VERSATILE MOWER MADE OF PREMIUM STEEL

+ Wheel drive and Electric Start



430 BRE Premium	
Cutting width	42 cm
Lawns to	1,100 m ²
Function	3INONE function
Cutting height / cutting height adjustment	28–70 mm / central, 7-stage
Engine ccm / kW / rpm	B&S series 625 ES 190 / 2.4 / 2,800
Electric Start	Yes
Wheel drive	1-speed
Mower deck	ULTRAMOW Steel
Grass catcher capacity	70 l
Wheel ø front/rear	180/205 mm, ball bearings
Weight approx.	36.5 kg
Art. no	119 515
Homeowner Warranty	2 Year
Replacement blade Art. no	463 719



ACCESSORIES

Engine service kit for easy oil change
Art. no. 130 088



+ Wheel drive and 4INONE function

+ Wheel drive, 4INONE function and Electric Start

+ Wheel drive and 4INONE function - 520BRVE features Electric Start and Vario Speed



470 BR Premium	470 BRE Premium	520 BR Premium	520 BRVE Premium
46 cm		51 cm	
1,400 m ²		1,800 m ²	
4INONE function		4INONE function	
30–80 mm / central, 7-stage		30–80 mm / central, 7-stage	
B&S series 650 E Ready Start 190 / 2.4 / 2,800	B&S series 650 ES 190 / 2.4 / 2,800	B&S series 650 E Ready Start 190 / 2.4 / 2,800	B&S series 675 EX ES 190 / 2.5 / 2,800
-	Yes	-	Yes
1-speed		1-speed	Vario Speed (approx. 2.5-4.5km/h)
ULTRAMOW Steel		ULTRAMOW Steel	
70 l		70 l	
200/280 mm, ball bearings		200/280 mm, ball bearings	
37.0 kg	40.3kg	37.4 kg	41.0kg
119 312	119 314	119 315	119 516
2 Year		2 Year	
440 125		440 126	

YOUR ADVANTAGES

- | **4INONE** function :
Mow, collect, mulch and side discharge
- | **3INONE** function :
Mow, collect and mulch

- | Convenient cutting height adjustment
- | 70 L grass catchers with fill-level indicator
- | Ergonomically shaped handlebar
- | XL/XXL smooth-running wheels
- | Optional: Electric Start


QUIET AND ROBUST

THE PETROL LAWNMOWER WITH ALUMINIUM DECK



ALUMINIUM – THE FIRST CHOICE FOR DECKS

The high-quality aluminium deck combines the best stability with durability and optimum aerodynamics. What's more, it is torsionally rigid, rust-free and acoustically insulating as well as being extremely resistant to impacts from stones or unevenness.



SIDE DISCHARGE

Also a practical alternative for use in overgrown grass, thanks to the **4INONE** function. Easy to fit, without tools.



CENTRAL CUTTING HEIGHT ADJUSTMENT

The cutting height can be conveniently adjusted with just one hand motion – centrally and amazingly easily thanks to spring support and the scaled display.



OPTIMUM WORK HEIGHT

Easily reachable controls, an ergonomic rubberised handlebar as well as multiple handlebar height adjustments facilitate practical handling.



	480 BRV ALU Premium	530 BRV ALU Premium
Cutting width	47 cm	52 cm
Lawns to	1,500 m ²	2,000 m ²
Function	4INONE function	4INONE function
Cutting height / cutting height adjustment	30-85 mm / central, 6-stage	30-85 mm / central, 6-stage
Engine ccm / kW / rpm	B&S series 675 Ready Start 190 / 2.3 / 2,800	B&S series 675 Ready Start 190 / 2.3 / 2,800
Wheel drive	VarioSpeed (approx. 2.5–4.5 km/h)	VarioSpeed (approx. 2.5–4.5 km/h)
Mower deck	ALUTECH Aluminium	ALUTECH Aluminium
Grass catcher capacity	70 l	70 l
Wheel ø front/rear	200/280 mm, ball bearings	200/280 mm, ball bearings
Weight approx.	46.5 kg	48.0 kg
Art. no	119 243	119 180
Homeowner Warranty	2 Year	2 Year
Replacement blade Art. no	470 658	470 834

YOUR ADVANTAGES

- | **4INONE**function :
- | Mow, collect, mulch and side discharge
- | Extremely sturdy aluminium deck
- | Front carry handle for convenient transport
- | Central, 6-stage height adjustment
- | Wheel drive with variable speed control
- | 70 L grass catcher with fill-level indicator
- | Individually adjustable handlebar height
- | XXL smooth-running wheels

INNOVATION FOR LAWNS

THE HIGHLINE PETROL LAWMOWERS WITH MAXAIRFLOW TECHNOLOGY



MOWING WITHOUT THE STRUGGLE

The controls can be adjusted to the height of the operator, thereby allowing convenient mowing thanks to the exclusive handlebar concept with soft handle and EasyDrive cockpit. Wheel drive makes lawn mowing even less of a struggle; it is even possible to adapt to the operator's walking pace thanks to VarioSpeed.



EASY CONNECTING IN AND OUT

No more backaches or trapped fingers. Thanks to the EasyClick engagement with guide rail, emptying and re-attaching the compact grass catcher could not be easier.



CENTRAL HEIGHT ADJUSTMENT

The cutting height can be conveniently adjusted with just one hand motion – centrally and incredibly easily thanks to spring support.



MULCH IF YOU WANT

Mulch protects the ground and ensures a biological equilibrium. Therefore, every lawn should be mulched at regular intervals. This is no problem with AL-KO Highline mowers – simply insert the mulching insert and instantly the finely chopped clippings are worked into the lawn as a natural fertiliser. This returns necessary nutrients to the lawn, saves mowing time, and eliminates the cost of buying fertiliser.



STORING AWAY IS CHILD'S PLAY

Usually garages, garden sheds or basements are too small. This is why Highline mowers can also be stored away vertically to save space. The integrated upstanding function makes it possible. (Fuel & oil tanks must be empty)



PRECISE EDGE MOWING

The offset design means that Highline lawnmowers can also be used for mowing along the side of walls without problems – for a perfect result right up to the edge, without any major trimming afterwards.



UNDER CONTROL

The integrated front carry handle – ideal when it comes to transporting the lawnmower, storing it away, or lifting it over steps or obstacles in the garden.



WITH DOUBLE BALL BEARINGS

XXL smooth-running wheels guarantee easy progress whether on grass or uneven land.



MAXAIRFLOW TECHNOLOGY

**PERFECT AIRFLOW
CONDITIONS THANKS
TO THE EXTRA TALL
STEEL PLATE DECK**



**FULL CATCHER,
FEWER INTERRUPTIONS**

MaxAirflow technology means that the lawn clippings are thrown to the back of the grass catcher, as a result of which it is filled to the top and does not have to be emptied so often.



NO GREEN FINGERS

MaxAirflow technology means that it is even possible to mow long, damp grass without leaving clumps behind on the ground or blocking the discharge channel. This means your hands stay cleaner.



4INONE function

As well as mowing and collecting, the Highline models offer two additional functions thanks to the mulching insert (left) and side discharge (right).

IT'S A MATTER OF HEIGHT

Extra tall, extra large – that's the basis for **MaxAirflow technology**. This is because the extra tall steel plate deck and extra large discharge channel increase the airflow by 42 percent. As a result, the grass clippings are not transported at a low level into the grass catcher as in the case of most standard lawnmowers, but are instead thrown backwards in a high arc and remain at the back. This means the grass catcher is effectively filled from the back, without the discharge channel becoming blocked. Another bonus: The removable service flap for convenient mower maintenance.



MAXAIRFLOW
technology



ENGINEERED
IN GERMANY
MADE IN AUSTRIA





HIGHLINE MOWERS WITH 46 CM - 51CM CUTTING WIDTHS

+ Wheel drive



OPTIMUM COCKPIT

Easily reached controls, the ergonomic soft grip and, thanks to **VarioSpeed**, infinitely variable wheel drive make mowing the lawn a pleasure. The handlebar can be optimally adapted to suit the operator by adjusting the handlebar height to one of several positions (only with VS models).

473 SP Highline

Cutting width	46 cm
Lawns to	1,400 m ²
Function	4INONE function
Cutting height / cutting height adjustment	30–80 mm / central, 7-stage
Engine ccm / kW / rpm	B&S series 550 E 140 / 2.2 / 2,900
Wheel drive	1-speed
Mower deck	MAX AIRFLOW Steel
Grass catcher capacity	70 l
Wheel ø front/rear	200/280 mm, ball bearings
Weight approx.	33.0 kg
Art. no	119 464
Homeowner Warranty	2 Year

Replacement blade Art. no	440 125
------------------------------	---------

ACCESSORIES

Engine service kit
for easy oil change
Art. no. 130 088





+ Wheel drive with variable speed control

+ Wheel drive with largest cutting width

+ Wheel drive with variable speed control



473 VS Highline	523 SP Highline	523 VS Highline
46 cm	51 cm	51 cm
1,400 m ²	1,800 m ²	1,800 m ²
4INONE function	4INONE function	4INONE function
30–80 mm / central, 7-stage	30–80 mm / central, 7-stage	30–80 mm / central, 7-stage
B&S series 650 E Ready Start 190 / 2.4 / 2,800	B&S series 650 E Ready Start 190 / 2.4 / 2,800	B&S series 675 EX Ready Start 190 / 2.5 / 2,800
VarioSpeed (approx. 2.5–4.5 km/h)	1-speed	VarioSpeed (approx. 2.5–4.5 km/h)
MAX AIRFLOW Steel	MAX AIRFLOW Steel	MAX AIRFLOW Steel
70 l	70 l	70 l
200/280 mm, ball bearings	200/280 mm, ball bearings	200/280 mm, ball bearings
37.5 kg	37.0 kg	37.5 kg
119 465	119 467	119 468
2 Year	2 Year	2 Year
440 125	440 126	440 126

YOUR ADVANTAGES

- | **4INONE** function :
 - | Mow, collect, mulch and side discharge
 - | Central, 7-stage height adjustment
 - | 70 L grass catcher with **EasyClick** attachment and fill-level indicator
- | Individually adjustable handlebar with soft grip (VS models)
- | Front carry handle for convenient transport
- | XXL smooth-running wheels


TECHNOLOGY, COMFORT AND HIGH PERFORMANCE

THE EDITION LAWN TRACTORS



OPTIMUM SEAT POSITION

The comfortable driver's seat can be infinitely adjusted to the height of the operator.



VARIABLE SPEED HYDROSTATIC GEARBOX

Robust design for reliable function for many years. Precise, variable-speed control – forwards and reverse.



HIGH CAPACITY GRASS CATCHER

The capacious grass catcher can be conveniently emptied from the driver's seat, and allows for extended mowing periods.



TB500 Trailer/Barrow

Load : 300 kg / Art. no. TUAT04



TB600 Trailer/Barrow

Load : 400 kg / Art. no. TUAT05



Lawn roller GW 100

Width : 98cm / Art. no. 130 539



Tow Hitch

Art. no. 110 813



OPTIMUM ERGONOMICS

Low foot rests and plenty of legroom ensure easy mounting and dismounting and a low centre of gravity with little danger of tipping. In addition, all controls can be reached conveniently from the operator's seat.



+ **Compact with 1-blade cutting technology**



+ **Ideal for larger areas with 2-blade cutting technology and a powerful V-Twin B&S engine**



+ **Ideal for larger areas with 2-blade cutting technology and a powerful V-Twin B&S engine**



	T 15-74 HD-A edition	T 16-92HD edition	T 16-102HD edition
Cutting width	74 cm (1 blade)	92 cm (2 blades)	102 cm (2 blades)
Function	2INONE function	2INONE function**	2INONE function**
Lawns to	3,000 m ²	4,000 m ²	5,000 - 6,000 m ²
Cutting height / cutting height adjustment	30–90 mm / central, 6-stage	30–90 mm / central, 6-stage	30–90 mm / central, 6-stage
Engine ccm / kW / rpm	Al-KO Pro 450 452 / 8.5 / 2,900	B&S Intek series 7160 V-Twin 656 / 10.5 / 2,900	B&S Intek series 7160 V-Twin 656 / 10.5 / 2,900
Number of cylinders	1-cylinder	2-cylinders	2-cylinders
Transmission	Hand hydrostatic	Foot hydrostatic	Foot hydrostatic
Blade brake clutch	Mechanical belt clutch	Electromagnetic	Electromagnetic
Grass catcher capacity	220 l	220 l	300 l
Grass catcher emptying	Telescopic lever	Telescopic lever	Gas-strut Assisted
Bumper	Yes	No	Yes
Tyre size (inch) front/rear	13x5.0-6/18x6.5-8	13x5.0-6/18x6.5-8	13x6.5-6/18x8.5-8
Dimensions (LxWxH)	261x94x112 cm	261x100x112 cm	261x100x112 cm
Weight approx.	198 kg	199 kg	205 kg
Art. no	119 517	119 725	119 726
Homeowner Warranty	2 Year	2 Year	2 Year

Grass Deflector

Art. no. 110 981



Mulch Kit 92cm

Art. no. 118 885

Mulch Kit 102cm

Art. no. 118870

YOUR ADVANTAGES

- | Powerful 1 or 2-cylinder 4-stroke engines
- | Durable and sturdy
- | Large grass catcher with convenient box emptying
- | Versatile accessories
- | Optional mulching function (92cm / 102cm models)

* All prices include VAT and are correct at time of printing. E&OE.

ONE LOOK AND YOU'RE CAPTIVATED!

THE ROBOLINHO® AUTOMATIC LAWNMOWERS



ROBOLINHO® 100

The Robolinho® 100 automatic lawnmower will not only turn your neighbours green with envy, but also lovingly and painstakingly care for lawns up to 700 m². This gives you more time for your family and friends and leaves you with a perfectly manicured lawn.



ROBOLINHO® 3000

The Robolinho® 3000 with its double-blade system mows lawns up to 1,200 m² without you having to lift a finger. The standard equipment also includes a rain sensor and programmable start points.



ROBOLINHO® 4000

The Robolinho® 4000 with its double-blade system mows lawns up to 2,000 m². Featuring an electronic cutting height adjustment and other premium features, the Robolinho® 4000 is the flagship automatic lawnmower for larger gardens..



ROBOLINHO® AUTOMATIC LAWNMOWERS

Robolinho® automatic lawnmowers not only mow your lawn completely automatically and reliably – they also offer a highly dynamic design and quiet operation. The result is a perfectly cared-for lawn, and a pleasant and relaxed atmosphere in your own garden.



QUALITY FOR LIFE

Developed by our expert engineers in Germany and carefully manufactured at our production facility in Austria, Robolinho® automatic lawnmowers are true quality products from AL-KO.



FOR ANY REQUIREMENT, FOR ANY LAWN SIZE

ROBOLINHO® FULLY AUTOMATIC LAWNMOWERS



INTELLIGENT LAWN CARE

A regular trim keeps the lawn in perfect condition at all times. The unique double-blade technology provides a natural fertiliser, because the clippings are finely chopped up in the mower deck, and blown back into the lawn.



HIGH-GRIP TREAD

Powerful traction as standard: Rubberised wheels provide powerful traction, good ground adhesion and the ability to tackle slopes up to 35%.




AT FULL CHARGE

If their battery charge declines, Robolinho® automatic lawnmowers automatically return to their base station and recharge. Quick charging without memory effect as well as a long service life from the powerful battery pack, thanks to lithium-ion technology.



INTO THE TIGHTEST CORNER


Robolinho® automatic lawnmowers mow and look after the entire lawn throughout the selected time period, using the random principle. Their integrated logic circuit means they can easily mow into tight corners and smaller parts of the lawn, as a result of which the entire lawn is always kept in tip-top condition.





AUTONOMOUS WORKING

The clearly laid-out control panel makes programming of Robolinho® automatic lawnmowers simple. Simply enter the required times when the automatic lawnmower should operate, and leave it to work.



SAFE IN ALL POSITIONS

Thanks to the integrated sensor technology, obstacles and larger objects are automatically detected on contact, and avoided. If the automatic lawnmower is lifted up, the blade system switches off in a matter of seconds.

PERFECT IN ALL DETAILS

With an elegant and functional exterior design, Robolinho® automatic lawnmowers also appeal with impressive internal features. Compact design, low weight, a small turning circle and powerful motors are just some of the features that guarantee trouble-free operation.



LITHIUM-ION BATTERY TECHNOLOGY



The lithium-ion batteries deliver impressive performance, are surprisingly light and extraordinarily durable. There is no spontaneous discharge, and the batteries can be recharged at any time because of the absence of a memory effect. This means Robolinho® automatic lawnmowers are always ready for operation.



ROBOLINHO® AUTOMATIC LAWNMOWERS

**CARE FOR YOUR LAWN SIMPLY, CONVENIENTLY
AND INTELLIGENTLY**



CUT TO THE RIGHT LENGTH

The cutting height of the Robolinho® 100 and Robolinho® 3000 can be set quickly and easily with just one hand motion – depending on how long the grass should grow.



TRIED & TESTED TECHNOLOGY

The printed circuit board is the heart of the Robolinho® automatic mower and the control centre for fully automatic, everyday operation. For example, it detects obstacles, avoids them automatically and returns to the base station in good time to recharge.



A CLEAN SOLUTION

The double mulching blade system reduces grass build-up in the deck, provides a perfect cut and saves the trouble of disposing of grass clippings.



SIMPLE INSTALLATION

The Robolinho® is ready for use in only a few steps: Set up and anchor the base station, lay the supplied boundary cable around the lawn, secure it with lawn pegs, program the mowing times, and that's it. The boundary cable only has to be laid around the perimeter of the mowing area once, and then reliably protects the boundaries of the working area.



	Robolinho® 100	Robolinho® 3000	Robolinho® 4000
Work area	max. 700 m ²	max. 1,200 m ²	max. 2,000 m ²
Cutting width	28 cm	30 cm	32 cm
Mowing time / charging time (up to)	70 / 70 min	120 / 120 min	180 / 170 min
Dimensions (LxWxH)	600 x 490 x 245 mm	600 x 490 x 245 mm	625 x 540 x 295 mm
Cutting height adjustment	30-60 mm, manual	30-60 mm, manual	30-60 mm, electric
Li-ion rechargeable battery	1.5 Ah / 18 V	3 Ah / 25.2 V	4.4 Ah / 25.2 V
Volume when mowing	max. 65 dB (A)	max. 65 dB (A)	max. 65 dB (A)
Double blade technology	✓	✓	✓
Rain sensor	–	✓	✓
Free choice of entry points	–	✓	✓
2nd base station can be installed	–	✓	✓
Operation on a second lawn	–	Optionally with 2nd base station	Optionally with 2nd base station
Supplied with loop cable	100 m	150 m	200 m
Art. no.	119 509	119 356	119 511
Homeowner Warranty	2 Year	2 Year	2 Year
Replacement blades (pack of 3) Art. no.	119 546	119 546	119 546
Cutter disc Art. no.	119 543	119 544	119 545

Extra lawn pegs (90 pcs.)

Art. no. 119 461

Extra loop wire (150 m)

Art. no. 119 462

YOUR ADVANTAGES

- | Fully automatic and reliable lawn care up to max. 2000 m²
- | For all requirements, all sizes of lawn
- | Double mulching blade system
- | Intuitive operation by LCD control
- | Ability to tackle slopes up to 35%

MANOEUVRABILITY FOR THE NATURAL GARDEN

THE SCYTHE MOWERS FOR MEADOWS AND NATURE AREAS



UNDER CONTROL

Height-adjustable and with vibration damping, the ergonomically shaped handlebar ensures optimum handling on rough ground as well as easy transport.



PERFECT GRASS DEPOSITING

The movable grass deflector means that no grass is left lying on the cover, while grass depositing is improved because of the shorter distance between the wheel and the beam.



READY FOR WINTER OPERATION

Thanks to supplementary accessories like snowplough and snow chains, the scythe mowers can also be used effectively in the winter season.





GIVING NATURE ITS SPACE

In meadows or ecological natural gardens, it is particularly important only to use machines that are up to the job – such as AL-KO scythe mowers that can cut forage grass just as well as thick, matted weeds.

ROBUST IN THE DETAILS

As well as the specially hardened ESM blades with infinitely height-adjustable outsoles, AL-KO scythe mowers are characterised by their enclosed drive system. This is less prone to contamination, thus allowing longer operating times.



	BM 870 III	BM 875 III
Scythe attachment	87 cm	87 cm
Lawns to	2,000 m ²	2,000 m ²
Engine ccm / kW / rpm	B&S series 450 148 / 1.9 / 3,200	B&S series 625 190 / 2.4 / 2,900
Drive	1 forward gear (worm gear)	1 forward gear (worm gear)
Tyre size (inches)	13 x 5.0-6	13 x 5.0-6
Track width	45 cm	45 cm
Blade drive can be disengaged	Yes	Yes
Weight approx.	50.0 kg	54.0 kg
Art. no	112 871	112 872
Homeowner Warranty	2 Year	2 Year

Universal snowplough RS 850

Art. no. 113 267 (working width 850 mm) *

Snow chains

Art. no. 112 183

YOUR ADVANTAGES

- | Universal in application and extremely manoeuvrable
- | Movable grass deflector
- | Specially hardened ESM blades with edge protection
- | Infinitely height-adjustable outsoles



LUSH GREEN GRASS? NO PROBLEM!

HOW TO CARE FOR YOUR LAWN PROPERLY



LAWNRAKING AND SCARIFYING

In addition to regular mulching, lawns should always be scarified in the spring and autumn in order to give them enough "air to breathe". In this process, the steel blades of the scarifier plunge into the turf and thoroughly remove thatch, moss and plant residues. Following scarifying, the treated areas should be fertilised directly and given a really good watering.

Furthermore, it is also recommended for the lawn to be raked from time to time during spring and summer months. This involves steel spring tines loosening the sward to allow more water, light and nutrients to reach the roots.

TIP:

If necessary, apply a special moss suppression product to your lawn before scarifying. After scarifying, the lawn should be watered and fertilised well.




3INONE function
Scarifying, lawnraking and
collecting

Lawnraking



Scarifying



FOR A GREEN, HEALTHY LAWN

SCARIFYING AND LAWNRAKING IN A SINGLE TOOL


OPTIMUM WORK HEIGHT

The height-adjustable handlebar allows fatigue-free working and easy operation. In addition, the machine can be stored easily.



THE RIGHT WORKING DEPTH, ALWAYS

Five-stage working depth adjustment with just one hand motion. This is important because the blades should just touch the ground when scarifying, in order to avoid wearing them down unnecessarily quickly and to avoid damaging the grass roots.



SCARIFYING OR RAKING

The roller change does not require tools, so it is simple to change from the scarifier roller with 3-stage steel blades to the lawnrake roller with efficient steel spring tines – complete lawn care in one machine.



+

For small to medium lawns, including collection bag

+

Petrol engine for working away from the mains socket, including collection bag



	Combi Care 38 E Comfort	Combi Care 38 P Comfort
Lawn	800 m ²	800 m ²
Motor ccm / kW / rpm	Electric, 1,300 W	AL-KO 144 F 53 / 1.3 / 6,100
Scarifying roller	14 steel blades	14 steel blades
Scarifying working width	38 cm	38 cm
Lawn rake roller	24 steel spring tines	24 steel spring tines
Lawn rake working width	37 cm	37 cm
Depth setting	Central, 5-stage	Central, 5-stage
Deck construction	Plastic	Plastic
Grass catcher capacity	55 l	55 l
Weight approx.	14.0 kg	20.0 kg
Art. no.	112 910	112 799
Homeowner Warranty	2 Year	2 Year

YOUR ADVANTAGES

- | **3INONE** function :
Scarifying, lawnraking and collecting
- | Change functions without tools
- | Including scarifying and lawnrake roller as well as collection bag

CULTIVATORS FOR A GREEN GARDEN

**POWERFUL
TOOLS TO HELP
YOU GROW
YOUR OWN**



GREATER SAFETY

The locked safety hand lever prevents inadvertent starting of the tiller blades.

ERGONOMIC WORKING

The handlebar can be individually adjusted to the height of the operator, ensuring comfortable, fatigue-free working. The ability to swivel the handlebar sideways (MH 5001 R) also permits working without treading on the soil that has already been cultivated.

Ridge plough for MH 350-4

Art. no. 106 677

Ridge plough for MH 5001 / MH5060*

Art. no. 106 930

* requires fitting kit AKP109260012216

PLANTABLE SOIL

Specially shaped tiller blades combined with powerful engines guarantee that you can effectively work the ground into plantable soil.

CHANGE OF DIRECTION

Not only does the forwards and reverse gear enable straightforward working, they make manoeuvring effortless (MH 350-4: forward gear only).



	MH 350-4	MH 5001 R	MH 5060 R
Work area	Small	Medium	Medium/large
Engine	B&S series 450	B&S series 625	B&S series 800
Displacement (ccm) / kW / rpm	148 / 1.9 / 3000	190 / 2.4 / 2900	205 / 3.7 / 3200
Working width	35 cm	50 cm	75 cm
Tiller blades	4 blades Ø 25 cm	4 blades Ø 30 cm	6 blades Ø 30 cm
Forward drive	Yes	Yes	Yes
Reverse drive	No	Yes	Yes
Weight approx.	26 kg	46 kg	51 kg
Art. no.	112 644	112 651	113 184
Homeowner Parts	2 Year	2 Year	2 Year

YOUR ADVANTAGES

- | Manoeuvrable cultivators for loosening the soil and seedbed preparation
- | For working shredded material, organic fertiliser or peat into the topsoil
- | Active working tiller blades
- | Powerful traction even in areas where the ground is hard or there is a lot of clay

EASY TO FEED – WITH A BIG APPETITE THE BLADE SHREDDER



ROLL WITH IT

The patented roller entry in the extra-large funnel makes it possible for the material to be shredded, to be fed effortlessly and conveniently. The integrated handle ensures ease of transport.



A SPLENDID CATCH

The large, integrated collecting box made from semi-transparent plastic is not just extremely sturdy and ideal for transporting the shredded material, it also guarantees the highest level of safety thanks to the integrated closing contact.



RAZOR SHARP

Blade shredders are optimally suited to woody and leafy garden waste, and the material they have shredded is ideal for mulching beds and borders to protect plants and hold moisture.



STABLE STAND

A broad undercarriage and large, high-traction XL wheels ensure stability and good handling when shredding.



+ Blade shredder



Easy Crush MH 2800

Power	2,800 W / 230 V
Zero-voltage switch	yes
Fuse	13 amps
Shredding system	Blade system
Branch Ø	40 mm
Volume of catcher box	48 l
Weight approx.	25.0 kg
Art. no.	112 854
Homeowner Warranty	2 Year

Replacement blade for MH 2800

Art. no. 440 584

(2 Required)

YOUR ADVANTAGES

- | Powerful blade system
- | Extra-large fill hopper with patented roller feed-in
- | Sturdy and stable housing with XL wheels
- | Large, integrated collecting box

THE PERFECT CUT FOR EVERY TYPE

ERGONOMIC CUTTING, PRECISE SHAPING.



RELAXED WORK

Ergonomic controls and the adjustable handle (HT 600 / HT 700) enable fatigue-free work, even on tall hedges. The battery model, HT 18V Li, makes things even easier because the hedge can be trimmed without any cable whatsoever.



PERFECT CUT, PERFECT PROTECTION

Sustainably sharp, diamond-ground blades ensure a clean cut. The stop guard protects the blade when cutting along the ground and walls, while the cover can also be used for storage on a wall.



CABLE FREE

Thanks to the powerful 18V Li-Ion rechargeable battery, it is also possible to work out of the reach of power outlets – with an exchangeable battery, for up to 50 minutes at a time (25 minutes per battery). What is more, Li-Ion technology means there is no memory effect in the batteries, so a long service life can be expected.





EVERYTHING STRAIGHT

The integrated spirit level helps to achieve straight and horizontal hedge trimming. As a result, an uneven cut can be avoided.



BEST QUALITY

The high-quality plastic housing is particularly sturdy and robust, thus guaranteeing the hedge trimmer achieves a long service life.


MAXIMUM SAFETY

The AL-KO safety cable effectively prevents cutting through the electric cable – for greater safety when trimming hedges (not with HT 440).



TRIMMING HEDGES IN THE RIGHT WAY

Hedges should be trimmed to achieve a trapezoidal shape, which means wider at the bottom than the top, in order for them to remain dense and bushy. This makes it possible to prevent the lower branches from dying off due to lack of light.



EFFORTLESS AND WITHOUT CABLES

THE HEDGE TRIMMERS WITH ELECTRIC OR BATTERY POWER



PERFECT BALANCE

The battery-operated hedge trimmer HT 18V Li offers proven technology, function and design – and what is more, the balance is just right too. Indeed, the weight has been distributed so that the trimmer always sits optimally in your hand.



Off the grid with a rechargeable battery



HT 18V Li

Battery type	Li-ion (18 V / 1.3 Ah)
Blade length	510 mm
Tooth gap	15 mm
Cutting speed	2,200 rpm
Blade type	Diamond cut
Cutting principle	Reciprocating Safety Blades
Safety cable	–
Sound pressure level	95 dB
Weight approx.	2.8 kg
Art. no.	112 949
Homeowner Warranty	2 years
Replacement battery Art. no. / EAN no.	112 968 / 400 371 804 5741



PERFECT CARE

The multifunction spray not only possesses excellent lubricating properties – it also frees up even seized parts, removes rust and cleans.

POWERFUL IN USE

Perfectly trimmed hedges, whether small or large, are no problem thanks to the powerful, reliable and comfortable hedge trimmers from AL-KO.



+
Ideal for maintenance
and rejuvenation cuts

+
For cutting back large,
woody hedges



	HT 440 Basic Cut	HT 550 Safety Cut	HT 600 Flexible Cut	HT 700 Flexible Cut
Power	440 W	550 W	600 W	700 W
Blade length	440 mm	520 mm	600 mm	650 mm
Tooth gap	16 mm	18 mm	24 mm	24 mm
Cutting speed	3,400 rpm	3,200 rpm	3,200 rpm	3,200 rpm
Blade type	Diamond cut	Diamond cut	Diamond cut	Diamond cut
Cutting principle	Reciprocating Safety Blades	Reciprocating Safety Blades	Reciprocating Safety Blades	Reciprocating Safety Blades
Safety cable	–	yes	yes	yes
Sound pressure level	97 dB	97 dB	97 dB	97 dB
Weight approx.	3.2 kg	3.6 kg	4.1 kg	4.5 kg
Art. no.	112 679	112 680	112 681	112 678
Homeowner Warranty	2 years	2 years	2 years	2 years



Multifunction spray

300 ml

Art. no. 112 890

YOUR ADVANTAGES

- | Robust housing
- | Safety cable
- | Diamond-ground blades
- | Integrated spirit level
- | Powerful battery variant

THE MOST BEAUTIFUL FACET OF LAWN CARE

THE ELECTRIC AND BATTERY TRIMMERS FROM AL-KO



FLEXIBLE IN ALL DIRECTIONS

The ability to turn the trimmer head through 180° means that even overhanging lawn edges can be cut accurately – for a beautifully cared for lawn right up to the edge (GTE 450/550, GTLi 18V). The telescopic aluminium shaft and the adjustable handle can be used for setting the trimmer quickly and easily in order to ensure it has the optimal length and working position.



TRIMMING IN ALL POSITIONS

The 3-way angle adjustment of the trimmer head means that even places that are very hard to reach, such as under benches, can be tackled with ease (GTE 450/550, GTLi 18V).



PRECISE RIGHT TO THE EDGE

The plant protection bar and wheel make it possible to trim really accurately even under bushes or against walls, without worrying about damaging anything.



EFFORTLESS WITHOUT CABLES

The powerful 18 V Li-ion rechargeable battery in the handle allows the GTLi 18V to work powerfully even in places where there is no mains socket.

Replacement 18 V battery Art. no.
112 968





Telescopic aluminium shaft

Telescopic aluminium shaft, adjustable trimmer head angle

Powerful motor, telescopic aluminium shaft, adjustable trimmer head angle

18 V battery, telescopic aluminium shaft, adjustable trimmer head angle



	GTE 350 Classic	GTE 450 Comfort	GTE 550 Premium	GTLi 18V Comfort
Engine	Electric, 350 W	Electric, 450 W	Electric, 550 W	Li-ion 18 V / 1.3 Ah
Cutting width	25 cm	30 cm	30 cm	25 cm
Cutting line	Nylon twin line	Nylon twin line	Nylon twin line	Nylon line
Line feed	Automatic tip	Automatic tip	Automatic tip	Automatic tip
Receptacle for replacement spool	No	yes	yes	yes
Auxiliary handle	Yes, adjustable	Yes, adjustable	Yes, adjustable	Yes, adjustable
Handle height adjustment	Yes, adjustable	Yes, adjustable	Yes, adjustable	Yes, adjustable
Pivoting cutting head	–	yes	yes	yes
Weight approx.	2.3 kg	2.9 kg	3.0 kg	2.4 kg
Art. no.	112 928	112 929	112 926	112 927
Homeowner Warranty	2 years	2 years	2 years	2 years
Replacement spool Art. no.	112 966	112 966	112 966	112 969

YOUR ADVANTAGES

- | Precise trimming in all positions
- | Telescopic aluminium shaft with adjustable handle
- | Swivelling trimmer head with adjustable angle
- | Trimmer available as 230 V or 18 V Li-ion rechargeable battery variant

CUT YOUR WAY THROUGH THICK AND THIN

THE POWERFUL ELECTRIC CHAIN SAWS FROM AL-KO



QUICKLY TENSIONED

The quick-tension chain wheel enables the chain to be tightened and set without tools – this means even the chain and guide bar can be changed quickly. (EKS 2400 / EKI 2200 only.)



CUT A TIDY SHAPE AND RESULT

In their design, AL-KO electric chain saws not only offer a perfect look, but also feature powerful motors and original Oregon guide bars and chains for high-performance cutting and long durability. Automatic chain lubrication and the viewing window on the oil tank make maintenance easier.



CROSSLINE OR INLINE?

The powerful motors of the EKS models are arranged in the classic way at right angles to the guide bar (crossline), whereas the motor in the EKI model is fitted inline. This offers advantages in terms of weight distribution, thus allowing sawing without fatigue even when working over long periods.

TWICE AS SAFE

The chain brake and hand protection bar with quick chain stop offer the highest level of safety in every situation – for peace of mind and safe working.



+ Handy and compact

+ With quick-tension chain wheel

+ With inline motor and quick-tension chain wheel



	EKS 2000/35	EKS 2400/40	EKI 2200/40
Power	2000 W	2400 W	2200 W
Motor	230-240 V / 50 Hz	230-240 V / 50 Hz	230-240 V / 50 Hz
Motor mounting	Crossline	Crossline	Inline
Bar length	35 cm	40 cm	40 cm
Saw chain	52EX91PX	56EX91PX	56EX91PX
Chain speed	13.5 m/s	13.5 m/s	13.5 m/s
Chain tension	Tooled	Tool-free	Tool-free
Chain lubrication	Automatic	Automatic	Automatic
Chain brake	Yes	Yes	Yes
Weight approx.	4.8 kg	5.0 kg	5.4 kg
Art. no.	112 807	112 808	112 809
Homeowner Warranty	2 Year	2 Year	2 Year

YOUR ADVANTAGES

- | Powerful electric motors, installed crossline or inline
- | Perfect ergonomics for fatigue-free working
- | High pulling and cutting power
- | Chain brake and hand protection bar with quick chain stop
- | Automatic chain lubrication

SMALL, COMPACT AND POWERFUL

MOBILE, HORIZONTAL LOG SPLITTERS

MULTI-WELD

The powerful, multi-weld splitting wedge guarantees perfect results and a long service life. It can even split hardwood effortlessly.

BE ON THE SAFE SIDE

Whether big or small – all AL-KO log splitters are equipped with two-handed safety operation to ensure the highest level of safety in the workplace.

WIDER IS BETTER

Wide tyres mean that AL-KO log splitters can be transported easily and conveniently even on bumpy ground, while the sturdy frame ensures a high level of stability.

QUICK AND EASY ADJUSTMENT

Fatigue-free work thanks to feet that can be easily inserted for a convenient work height.



SPLITTING FIREWOOD

Log splitters make it possible to convert sawn logs into firewood with the minimum of effort. Once split, the logs should be stored in a dry, well ventilated room and should not be stacked too densely to prevent against rot. Before the firewood can be burned, it should be seasoned for at least one year so that it will burn cleanly and provide a good heat output.



+

Up to 37 cm splitting length

+

Comfortable work height, up to 52 cm splitting length

The Daily Telegraph
'STAR BUY'



	KHS 3700	KHS 5200
Power	1,500 W / 230 V	2,200 W / 230 V
Max. splitting force	4t	5t
Max. splitting length	370 mm	520 mm
Weight	35 kg	47 kg
Art. no.	112 425	113 241
Homeowner Warranty	2 Year	2 Year

YOUR ADVANTAGES

- | Powerful log splitters with splitting pressure up to 5 tonnes
- | Ideal for splitting firewood up to 52 cm in length
- | Space saving and mobile
- | Ergonomic and safe

USEFUL GARDEN HELPERS

THE PERFECT SOLUTION FOR EVERY NEED



THE EASY WAY TO A NEW LAWN

To consolidate the ground before sowing and pressing in the seed after sowing, so the grass seed remains where it belongs.

Lawn roller GW 50	
Working width	50 cm
Weight filled with water	72 kg
Weight filled with sand	120 kg
Empty weight	13 kg
Art. no.	119 104





BATTERY MULTICUTTER – THE SOLUTION FOR TRIMMING SHRUBS AND LAWNS



1, 2 – DONE!

Thanks to the quick blade change system, it is possible to swap over the blades within a matter of seconds – without tools or dirty fingers.



WELL PROTECTED

The padlock fitting helps to prevent the trimmer from being started inadvertently.



reddot design award
winner 2012



Li-Ion
Energy

Multicutter GS 3,7 Li

Battery type	Li-ion (3.7 V / 1.45 Ah)
Operating time	approx. 45 min
Shrub cutter blade length	160 mm
Grass cutter cutting width	80 mm
Weight approx.	550 g
Art. no.	112 773

Telescopic handle Art. no.	112 785
-------------------------------	---------

YOUR ADVANTAGES

- | **2INONE**function: Cutting grass and shrubs
- | Light and handy
- | No memory effect – can be recharged at any time
- | Simple blade change
- | Low spontaneous discharging
- | Long service life



AL-KO ONLINE

Click into the online world of AL-KO – starting with the homepage www.al-ko.com/garden, that provides all the important information about the company, to the AL-KO Youtube channel with many interesting product videos, to the Facebook fan page where we always keep you up to date with news from AL-KO.



Visit AL-KO at
facebook.com/ALKOGardenUK

AL-KO Garden & Hobby UK

Wincanton Business Park
Wincanton
Somerset
01963 828055
shop.uk@al-ko.com
www.al-ko.com/garden

Provided by your AL-KO partner: